



ELSEVIER

Mechanisms of Development 69 (1997) 229



## Volume contents

### Volume 69 (1997)

Issue contents	1	<b>Y. Shimauchi, H. Yasuo, N. Satoh</b> Autonomy of ascidian <i>fork head/HNF-3</i> gene expression	143
Review papers			
<b>C.V.H. Baker, M. Bronner-Fraser</b> The origins of the neural crest. Part I: embryonic induction	3	<b>C. Båvik, S.J. Ward, D.E. Ong</b> Identification of a mechanism to localize generation of retinoic acid in rat embryos	155
<b>C.V.H. Baker, M. Bronner-Fraser</b> The origins of the neural crest. Part II: an evolutionary perspective	13	<b>A. Bosse, A. Zülch, M.-B. Becker, M. Torres, J.L. Gómez-Skarmeta, J. Modolell, P. Gruss</b> Identification of the vertebrate Iroquois homeobox gene family with overlapping expression during early development of the nervous system	169
<b>T.A. Heanue, R.L. Johnson, J.-C. Izpisua-Belmonte, C.D. Stern, E.M. De Robertis, C.J. Tabin</b> <i>Gooseoid</i> misexpression alters the morphology and <i>Hox</i> gene expression of the developing chick limb bud	31	<b>C. Hensey, J. Gautier</b> A developmental timer that regulates apoptosis at the onset of gastrulation	183
<b>D.J. Henderson, P. Ybot-Gonzalez, A.J. Copp</b> Over-expression of the chondroitin sulphate proteoglycan <i>versican</i> is associated with defective neural crest migration in the <i>Pax3</i> mutant mouse ( <i>splotch</i> )	39	Gene expression patterns <b>M. Iwasaki, A.X. Le, J.A. Helms</b> Expression of <i>indian hedgehog</i> , <i>bone morphogenetic protein 6</i> and <i>gli</i> during skeletal morphogenesis	197
<b>R.S. Peterson, L. Lim, H. Ye, H. Zhou, D.G. Overdier, R.H. Costa</b> The winged helix transcriptional activator HFH-8 is expressed in the mesoderm of the primitive streak stage of mouse embryos and its cellular derivatives	53	<b>V. Valsecchi, C. Ghezzi, A. Ballabio, E.I. Rugarli</b> JAGGED2: a putative Notch ligand expressed in the apical ectodermal ridge and in sites of epithelial-mesenchymal interactions	203
<b>E. Aaku-Saraste, B. Oback, A. Hellwig, W.B. Huttner</b> Neuroepithelial cells downregulate their plasma membrane polarity prior to neural tube closure and neurogenesis	71	<b>H. Tanaka, K. Abe, C.-H. Kim</b> Cloning and expression of the quaking gene in the zebrafish embryo	209
<b>N. Heller, A.W. Brändli</b> <i>Xenopus</i> Pax-2 displays multiple splice forms during embryogenesis and pronephric kidney development	83	<b>M. Nikolova, X. Chen, T. Lufkin</b> <i>Nkx2.6</i> expression is transiently and specifically restricted to the branchial region of pharyngeal-stage mouse embryos	215
<b>L.L. McGrew, S. Hoppler, R.T. Moon</b> Wnt and FGF pathways cooperatively pattern antero-posterior neural ectoderm in <i>Xenopus</i>	105	Erratum	219
<b>C. Georgias, M. Wasser, U. Hinz</b> A basic-helix-loop-helix protein expressed in precursors of <i>Drosophila</i> longitudinal visceral muscles	115	Author index	221
<b>Y. Suda, I. Matsuo, S. Aizawa</b> Cooperation between <i>Otx1</i> and <i>Otx2</i> genes in developmental patterning of rostral brain	125	Subject index	223
		Volume contents	229



